



NOTE 1
HEAD RETRACTS TO THIS
HEIGHT TO CLEAR THE
BELT WRAPPER SAFETY
CAGE.

NOTE 1
BASE OF TENSION REEL AND OILER MOUNTED 400MM
BELOW MILL FLOOR LEVEL WITH 50 MM
GROUT ALLOWANCE

FRONT OF STRIPPER PLATE
IN FULLY RETRACTED POSITION

REV	DESCRIPTION	DATE	APPROVED

UNITS		DIMENSIONS	
INCH	[MM]	INCH	[MM]
1/16	1.5875	1/8	3.175
1/8	3.175	3/16	4.7625
1/4	6.35	1/2	12.7
3/8	9.525	5/8	15.875
1/2	12.7	3/4	19.05
5/8	15.875	7/8	22.225
3/4	19.05	1	25.4
7/8	22.225	1 1/8	29.175
1	25.4	1 1/4	31.75
1 1/8	29.175	1 3/8	34.9375
1 1/4	31.75	1 7/8	44.475
1 3/8	34.9375	2	50.8
1 7/8	44.475	2 1/8	54.1375
2	50.8	2 3/8	59.675
2 1/8	54.1375	2 7/8	71.125
2 3/8	59.675	3	76.2
2 7/8	71.125	3 1/8	79.4625
3	76.2	3 3/8	85.9875
3 1/8	79.4625	3 7/8	97.4375
3 3/8	85.9875	4	101.6
3 7/8	97.4375	4 1/8	106.1625
4	101.6	4 3/8	111.6875
4 1/8	106.1625	4 7/8	123.1375
4 3/8	111.6875	5	127
4 7/8	123.1375	5 1/8	128.2625
5	127	5 3/8	136.8125
5 1/8	128.2625	5 7/8	148.2625
5 3/8	136.8125	6	152.4
5 7/8	148.2625	6 1/8	155.7375
6	152.4	6 3/8	162.2625
6 1/8	155.7375	6 7/8	173.7125
6 3/8	162.2625	7	177.8
6 7/8	173.7125	7 1/8	179.0625
7	177.8	7 3/8	187.6125
7 1/8	179.0625	7 7/8	199.0625
7 3/8	187.6125	8	203.2
7 7/8	199.0625	8 1/8	204.4625
8	203.2	8 3/8	213.0125
8 1/8	204.4625	8 7/8	224.4625
8 3/8	213.0125	9	228.6
8 7/8	224.4625	9 1/8	229.8625
9	228.6	9 3/8	238.4125
9 1/8	229.8625	9 7/8	250.8625
9 3/8	238.4125	10	255
9 7/8	250.8625	10 1/8	256.2625
10	255	10 3/8	264.8125
10 1/8	256.2625	10 7/8	276.2625
10 3/8	264.8125	11	280.4
10 7/8	276.2625	11 1/8	281.6625
11	280.4	11 3/8	290.2125
11 1/8	281.6625	11 7/8	301.6625
11 3/8	290.2125	12	305.8
11 7/8	301.6625	12 1/8	307.0625
12	305.8	12 3/8	315.6125
12 1/8	307.0625	12 7/8	319.0625
12 3/8	315.6125	13	323.2
12 7/8	319.0625	13 1/8	324.4625
13	323.2	13 3/8	333.0125
13 1/8	324.4625	13 7/8	344.4625
13 3/8	333.0125	14	348.6
13 7/8	344.4625	14 1/8	349.8625
14	348.6	14 3/8	358.4125
14 1/8	349.8625	14 7/8	370.8625
14 3/8	358.4125	15	375
14 7/8	370.8625	15 1/8	376.2625
15	375	15 3/8	384.8125
15 1/8	376.2625	15 7/8	388.2625
15 3/8	384.8125	16	392.4
15 7/8	388.2625	16 1/8	389.8625
16	392.4	16 3/8	398.4125
16 1/8	389.8625	16 7/8	409.8625
16 3/8	398.4125	17	414
16 7/8	409.8625	17 1/8	415.2625
17	414	17 3/8	423.8125
17 1/8	415.2625	17 7/8	427.2625
17 3/8	423.8125	18	431.4
17 7/8	427.2625	18 1/8	428.8625
18	431.4	18 3/8	437.4125
18 1/8	428.8625	18 7/8	438.8625
18 3/8	437.4125	19	443
18 7/8	438.8625	19 1/8	444.2625
19	443	19 3/8	452.8125
19 1/8	444.2625	19 7/8	456.2625
19 3/8	452.8125	20	460.4
19 7/8	456.2625	20 1/8	457.8625
20	460.4	20 3/8	466.4125
20 1/8	457.8625	20 7/8	467.8625
20 3/8	466.4125	21	472
20 7/8	467.8625	21 1/8	473.2625
21	472	21 3/8	481.8125
21 1/8	473.2625	21 7/8	475.2625
21 3/8	481.8125	22	479.4
21 7/8	475.2625	22 1/8	476.8625
22	479.4	22 3/8	485.4125
22 1/8	476.8625	22 7/8	486.8625
22 3/8	485.4125	23	491
22 7/8	486.8625	23 1/8	492.2625
23	491	23 3/8	500.8125
23 1/8	492.2625	23 7/8	494.2625
23 3/8	500.8125	24	498.4
23 7/8	494.2625	24 1/8	495.8625
24	498.4	24 3/8	504.4125
24 1/8	495.8625	24 7/8	505.8625
24 3/8	504.4125	25	510
24 7/8	505.8625	25 1/8	511.2625
25	510	25 3/8	519.8125
25 1/8	511.2625	25 7/8	513.2625
25 3/8	519.8125	26	517.4
25 7/8	513.2625	26 1/8	514.8625
26	517.4	26 3/8	523.4125
26 1/8	514.8625	26 7/8	524.8625
26 3/8	523.4125	27	529
26 7/8	524.8625	27 1/8	525.2625
27	529	27 3/8	533.8125
27 1/8	525.2625	27 7/8	527.2625
27 3/8	533.8125	28	531.4
27 7/8	527.2625	28 1/8	528.8625
28	531.4	28 3/8	537.4125
28 1/8	528.8625	28 7/8	538.8625
28 3/8	537.4125	29	543
28 7/8	538.8625	29 1/8	544.2625
29	543	29 3/8	552.8125
29 1/8	544.2625	29 7/8	546.2625
29 3/8	552.8125	30	550.4
29 7/8	546.2625	30 1/8	547.8625
30	550.4	30 3/8	556.4125
30 1/8	547.8625	30 7/8	549.8625
30 3/8	556.4125	31	554
30 7/8	549.8625	31 1/8	551.2625
31	554	31 3/8	559.8125
31 1/8	551.2625	31 7/8	553.2625
31 3/8	559.8125	32	557.4
31 7/8	553.2625	32 1/8	554.8625
32	557.4	32 3/8	563.4125
32 1/8	554.8625	32 7/8	556.8625
32 3/8	563.4125	33	561
32 7/8	556.8625	33 1/8	558.2625
33	561	33 3/8	566.8125
33 1/8	558.2625	33 7/8	560.2625
33 3/8	566.8125	34	564.4
33 7/8	560.2625	34 1/8	561.8625
34	564.4	34 3/8	570.4125
34 1/8	561.8625	34 7/8	563.8625
34 3/8	570.4125	35	568
34 7/8	563.8625	35 1/8	565.2625
35	568	35 3/8	573.8125
35 1/8	565.2625	35 7/8	568.2625
35 3/8	573.8125	36	572
35 7/8	568.2625	36 1/8	569.5625
36	572	36 3/8	578.1125
36 1/8	569.5625	36 7/8	571.5625
36 3/8	578.1125	37	575.4
36 7/8	571.5625	37 1/8	572.8625
37	575.4	37 3/8	581.4125
37 1/8	572.8625	37 7/8	574.8625
37 3/8	581.4125	38	579
37 7/8	574.8625	38 1/8	576.2625
38	579	38 3/8	584.8125
38 1/8	576.2625	38 7/8	579.2625
38 3/8	584.8125	39	583.4
38 7/8	579.2625	39 1/8	580.8625
39	583.4	39 3/8	589.4125
39 1/8	580.8625	39 7/8	582.8625
39 3/8	589.4125	40	587
39 7/8	582.8625	40 1/8	584.2625
40	587	40 3/8	592.8125
40 1/8	584.2625	40 7/8	586.2625
40 3/8	592.8125	41	590.4
40 7/8	586.2625	41 1/8	587.8625
41	590.4	41 3/8	596.4125
41 1/8	587.8625	41 7/8	590.8625
41 3/8	596.4125	42	595
41 7/8	590.8625	42 1/8	588.2625
42	595	42 3/8	596.8125
42 1/8	588.2625	42 7/8	591.2625
42 3/8	596.8125	43	595.4
42 7/8	591.2625	43 1/8	592.8625
43	595.4	43 3/8	601.4125
43 1/8	592.8625	43 7/8	595.8625
43 3/8	601.4125	44	600
43 7/8	595.8625	44 1/8	597.2625
44	600	44 3/8	605.8125
44 1/8	597.2625	44 7/8	600.2625
44 3/8	605.8125	45	604.4
44 7/8	600.2625	45 1/8	601.8625
45	604.4	45 3/8	610.4125
45 1/8	601.8625	45 7/8	604.8625
45 3/8	610.4125	46	609
45 7/8	604.8625	46 1/8	602.2625
46	609	46 3/8	610.8125
46 1/8	602.2625	46 7/8	606.2625
46 3/8	610.8125	47	610.4
46 7/8	606.2625	47 1/8	607.8625
47	610.4	47 3/8	616.4125
47 1/8	607.8625	47 7/8	610.8625
47 3/8	616.4125	48	615
47 7/8	610.8625	48 1/8	608.2625
48	615	48 3/8	616.8125
48 1/8	608.2625	48 7/8	612.2625
48 3/8	616.8125	49	616.4
48 7/8	612.2625	49 1/8	609.8625
49	616.4	49 3/8	618.4125
49 1/8	609.8625	49 7/8	613.8625
49 3/8	618.4125	50	618
49 7/8	613.8625	50 1/8	610.2625
50	618	50 3/8	618.8125
50 1/8	610.2625	50 7/8	614.2625
50 3/8	618.8125	51	618.4
50 7/8	614.2625	51 1/8	611.8625
51	618.4	51 3/8	620.4125
51 1/8	611.8625	51 7/8	616.8625
51 3/8	620.4125	52	618
51 7/8	616.8625	52 1/8	612.2625
52	618	52 3/8	620.8125
52 1/8	612.2625	52 7/8	617.2625
52 3/8	620.8125	53	618.4
52 7/8	617.2625	53 1/8	614.8625